Aviation Week & Space Technology

August 13, 1962

USAF Studies Integration Of Tracking Ranges

L-T-V Space Pack Test



SPECIAL REPORT

Saturn S-1C Engineering, Manufacturing Program



Kaylock Clip-on nuts cut installation costs

Relians installed features out ... resolves in characted. Knylock observation both featility and non-flatting are useful in recordary structure and non-structural acrossme applications and electropic packarion. The olithou not, simply resided on as returned by its corner action on about thickness of J007 to 1507. The Kaylock clip-on nat his the fumous patented elliptical locking device and mosts requirements of HILN.25021 for self-locking toroughest and absently. Write today for Rafletin 2601.

















RIGGER JORS FOR A PAIR OF ACES

R. E. Saler and Chance Wought's Conneter. A new two place. Settlet as a solution to tomorrow's problems. Charl of the

days serving 29 decorations including the Congressional Medial

LING-TEMOS-VOUGHT ING GTV DALLAGTEXAS

AFROSPACE CALENDAR

2824. Conference on The Print



WHY FIGHT CIRCUIT BUGS?...

use FECo digital circuit modules! A life test that has already logged over 10 retion und hours with only one degraded fal-



1441 Fast Chested Agency - Santa Ana California Kircharia 2.5951 a Cable Military ENDELEX







Sav. "Ahhhh!"

Ba"Ansco-sure"... Aircraft radiography domands Ansco Superay H-D* - the first, nitra-fine-grain American X-ray fire for reprojecting the smallest manufacturing defects or stress fatigue. Buildes its critical definition, thus film's high contrast records more minute details—which would only show up marginally on conventional films.

For rathography - It's Asses hast by definition Antico-America's first manufacturer of photographic materials . . , siece 1842 Ansce

AEROSPACE CALENDAR

Seed 13 14-10th Assessi Surreceptor Mon-

Sept 15.28-Operators & Menteranic Sources, Agrico Con., Milhile. Sept. 19-22-Seport Introduced Agreed Sent 24-May 199 Investment Automorts

See 16Ost, 12-teranoporal Art Trans

AVAILED WHEE and BrACE TECHNOLOGY, Assure 13, 1862

WINTHIS CAR!

preservative, business address,

responsibilities , or give that

information to any Budd Elec-

arpect of specialized data hist-

three or checker. RF systems, ex-

them within the consecutal U.S. orr Bowill Easy First of all, mean-Chawler Bowl, Badd Electronics.

self got a completely related for earth reminder was that Body's tradition of

FLECTRONICS Assets forcions factors for a recommend for the management and free Engineering



THE THREE STAGES OF MINUTEMPA depend upon those scotlary peace parkenes. Each in disea by a small-tire bip-output motor canable.

of righteston the option of callebility and partnersons demanded for Miretannes. They are products of Eemoo Division of Electronic Specialty Co., which has been providing missile, space, and aircraft Industries with custom maters, actuators, and starter-senerators for 20 years. For complete, specific information on Eemop Minutemen-proved products, just write or cell.



AFROSPACE CALENDAR

Co-spensor APOSR, General Electric

fire the Assessment Street, and Assessment Street, V. Sola. Central Chairman Street W70714 Central Factor. Co. MS1D. Valley Four Spect.

RELIABILITY BY DESIGN



A-OK

MESTON AEROSPACE INSTRUMENTS ... duction experience in a number of advanced space Mercury -- More than a lived of the Spocecraft General — As a result of the provin removing on Western instrumentation in Mercury, Western deal industrials have been believed to repeater printed. Other projects - Weston instruments proved to which flight, will accompany astrophysis in Ea Surv manned appear organic Expenses of Weston



WESTON INSTRUMENTS Ascepace instrumentation + Simulai Thermameters + Calibration & Test

AMAZION WERE and SPACE TECHNOLOGY, Annual 12, 1762



It looked good on paper, but...

... thus simplane propelled by a matiena of mechanical, chemical. To solve this problem-and many because the materials samply allow steel providing yield

hold the answer to your diverse Fer exemple, you might require an strengths up to 270,000 res with

of Wall Street 1000 New York S. N. Y.

THE INCLUMENTATIONS I MICHEL COMPANY MIC Totay, designers can select mate- excellent ductility; up to 50% re-Inco Nickel makes metal perform better longer

CONNECTORS

New! .100" spaced PC connector with crimp-type terminations



Annual Street Character Ch

Burndy's new .100" speced HTMN" (pot-on" series features crimp-type mmovable terminations (automatically installed). Tooled for quick de-Busin of the most norularly specified sizes ... 15, 22, 30 and 43 positions. Spring Contact - scownisco type, gold placed benyllean everyor Parisa-



Connector body is runnedly constructed of high impact their registe Bord consist sprags are pre-laided to read



MB Hydraulic Shakers cut vibration-testing costs for large payloads

large paginate—such as small such feets, or complete involves—sound requires authority high facious at a first the conduction of the conducdent conduction of the conduction of the desire-by-function of the conduction of the conduction



statement of the statem



porc

An MEB hydrachie shakes system
een sold celleriate ob to pour tenhanc
capabetrase, welfanke in 27 shakes
wat models with forces of 2,000 to
100,000 be, and urnifou to 18 o' these
above spicious o on sine to celleria
delice spicious o on sine to celleria
delice spicious o on sine to celleria
delice spicious o on sine to celleria
delicente.

For children information series or

SPACE SUIT COOLING ... GM-HARRISON STYLE!





HARRISON FOCUSES BROAD-BASED EXPERIENCE ON TODAY'S GRITICAL TEMPERATURE CONTROL PROBLEMS!

Rockes, sanipase, serve, solventee, solve





facilities for production...



The engineering, mountactiving and production copabilities that have made Aero Commander are of the root respected names in business-twin avaidan are available for your prime and

Over 200,000 square feet of manufacturing and engineering facilities include high equipped machine shape, engineering, retail steeping and cashing, nodo and electronics installance and evenhest, it facilities and filter against feeting, technolog placefunds development and production and made a custom powering and sphables.

For additional information on these or other Aero Commander predefine applicities, contact. Contract Administration, Aero Commander, Inc., Esthaw, Olimbers.

---COMMANDER

and the control of th

and the second s

CCLESTIAL NATIONATION [Spec valuation will hardon their own evolution to reformation pointed from each office grid up upon the exterior imagnitude of design engineers. Artistiquing rapid advances in actifility range and contribuilities; Kollmonn in pacing its reformance of exterior maching approaches progress on before assumers and use research. Since 1966, Kollmon has been both the vasarch and prediction function in general production function in general production function. The uses are electrical searching softent, Surgeries outputs contribute output to more than 100 times that of all other fers world producers enobleted. No other concercion could ability to most specific requirement, whether for named alternat, reducine or super valuation.



Kollsman Instrument Corporation



A fuel cell for Apollo

This is a repoil of a fuel cell designed by Pratt & a fuel cell eraters for Applic. America's first The hydrogen-payme cell will supply nown for environmental conditioning,

scientific egarpment. In addition to gen-

Aviston.

Pratt & Whitney Directoft

Pratt & Whitney Ameralt's fuel cell is far more efficient then correctional neaver systems. During tests, cells have demonstrated efficiencies of 70 to 80 per cent. The fuel cell has a significant role

a significant power source on earth. Peats & Whitney Assessed to compatis such applications as remote-site power, generation, and other industrial tasks-



THE MOON

An electronic impoles system designed by Fairchild can gurray the later surface with resolutions up to one metar. studied the problem in depth, designed a system that can acquire toware data from a lunar satellite, receive and process the data or auch, then convert it to healthy eletarical mean. The seatern can also Advanced customs like this illustrate Ferchild's unique combina-Ear of capabilities in electronics, photography and in partographic and data processing technologies. Other examples are pullined in painting or Evelothe Subsection 750 Bloomfold Ava. Chica. N.J.



August 13, 1942

Aviation Week & Space Technology

Margher ARP and ARC

VILLENCE	Belov o Sterle	Befores Yields Biessienze Effort to NASA
NAMES OF THE REAL PROPERTY.		*Mave is port of plan for national binastronouties program, so
	Willer Gregory	tenure animal flights are planned.
Door Johnson Tal	Armir Jack	Eastern Reserves Shuttle Despite Strike 36
FROMOS, DITHE SHOWN BETWEEN	Ontid A. Antonios Carli Browskin	*Airline speeds flight engineer freezing of pilots, Goldburg ends affairs, criticises of perios.
#100mCF14	Eryn Owk	Besitz Fases S-10 Fabrication Challenge . 52
DE RESERVED.	Street States	P Size of Soram C3 first stoop encore poses priose problems in
111	Between 1 Section	
		dways, manufacturing and testing
		MACE TECHNOLOGY AIR TEAMSPORT
		MASA Sets Benziones (Sert
AND SHETON		Long Record Special Study Th Conferenced Prev Cots Protested
	Sery Mile	Ele Science Clied 25 Breech Stock Selt
*** MET 181701	1.1.86	UN: Sciences Clief 25 Breech Stock Sale Legatic Real Plans Messard Flichts 27 Bre Belde Ede at Hillies
41	Adam & Code	Compet Compromus Populic 25 Coult Probe School Proposed
		Loner Sopply Vehicle Stelles 36 Secondary Buy: Sond Alleways.
		MASA Ride in APRAS 23 Seleme Group Rem.
18714	uny hole	
15,7310	Bada J. Byloni Great A. Street	Botton Delprioration Study 62 Wyraken Reports Prailit.
	Sange C Millert Rather on pricess	
		Army Alchorus Eurolopeout Essel 27 MANAGEMENT
PARKE	Stee Surgition Marketin Total	
ments are		
	Brist S. Pend	
	through triffing	
	404 Penderor Ridg	
	TSK Producted Side	
	26 Grisevia G	
9 1941 19		
		Horizo Forminals Decembed
	. A C. Breeder	
		GLORIT
Francisco (Control of Control of		
	1 3 hours 2	
		COVER- Log Tonco-Voight eigeness test everywe's back-wounted Synce
	A 10/00	Manneying Unit (SMU) about a USAT/Boring RC-155 from September
	mar C 5 Second	go for the tests rather than hydrogoroperocals as would be done in spice in
		a safety feature (AW Bene 25, p. 50). Therefore have been able to novel about
		50 ft, perform a 160 deg. you and return about 50 ft as weightfur state.

THE EARTH, OUR MIDDLE STAGE PICKER. A SEGMENTER, FILAMENT-VICUNG, SOLID PROPELLANT VEHICLE, WITH GEFENDABLITY AND EXCEPTIONAL PERFORMANCE AT EXCAPT VELOCITIES HAVE WITH APOSIT DOSING MOVING PARTY LIFES THAN LIQUID TREEMING STAGE ENGINES: CON THEIR-STAGE SPORTS GAR. A HIGHLY MANDAVERRELE, STOPPHALE, STARTHELE, ASLATION-CORLEG LIQUID ENGINE FILAMENT NEURO FOR LIGHTER WEIGHT, SIMPLE, RESOURCE SHEAL FOR BOTT LUNIS ... LANGUAGE THE STATEM IS RELIABLE PRACTICAL STATE OF DISLADY OF AD COMPANY AT LITT.

United Technology Corporation



ANNAHON WITH AND STACE TROPPESSORY, Asset 13, 1102

\$8,577 capes of this wast prieful



New to get maximum performance from V/STOL aircraft?







EDITORIAL

A Tragic Paradox

Soviet Incentive Failure

Bureaucratic Bumbling

Since 1955, Nikita Khrishchev has taken a variety of

It is a rither trace parodes that in this critical stage

-Robert Hotz



NAMES ASSESSMENT CORP.

WHO'S WHERE

In the Front Office Degree Con New York N.Y. In sec.

Robert Y. Coupins and Jahr. S. Berke. server was apparent from Senter, Ive R. Burkesphan and Dr. E. S. Meelt, destroy of Britan Subfider Engage Uni-

> printinged of the following ver periodesh. Daths: Do snoo-F C Byer for Alpha Ses tons and E C Middle to conduction. Code Expels-1 C McRace for expenses Loss M. Breede and application of the confrom Calif
> Would R. Stevens, a very provident. Ar-

ci. Wichington D.C. his appended the following or devoture Charles II Rube.

Col. John L. Marka R., durates, Office of Source Sentence 17540' hendometers and

BLOOMEIELD, CONNECTICUS

INDUSTRY OBSERVER

* Results of Advanced Economic Projects Accord operational persons to reco-

to decrease to between weekends and decrease affects that the outcol and

few Album Til technolog entered to movin on station. Harberted strcommon than two corner words that from Terribility of the technique

(FAS NO which had a near fraction of DAS, attriped theyork a combination of a Solvalion plan theoretwood one, a renness of animal tandries, surship of New and NASA, EMAS is been than ARL's 6-8-long After

► Polond has marted quantity production of Industrial Bests at Gdorrik (Den-

► AppenGeneral Corp. and Datalogues Celluloid Co. of Stoca (DurCelli ► NASA may recent money to bold a condension Age of R and Course









A model of a maning laters whether in whome Jupons Intilly in its folded specings go the locating system studies. Define later is the June studies, but you can be proportionally the intensity and the studies of the s

LIMAR RECONNAISSANCE is a Bends program movining the design of rowing vehicles systems, both manned and unmanned, lit is one of several Bendis programs in the deep space sciences. If you are an engineer or scientist in the space technologies, and sould like to pin this team for greater personal recognition and opportunity, places contact our Personnel Director, Bendis Setterm Districts, Am Arbon, Whitemann, provide proceduring recognition.

Bendix Systems Division



----- Washington Roundup -----

in Scheria a few days before the 10-recepton blast

Pentagon Investigations Deputy Scortary of Defrace Econell Glassue has celeral all top Pertagon riviliant

hashes one superastrate. Obtainh stores in the Edines was to keep close to be come and the common superastrate and the common superastrate and record in superastrate bear and the contraction of the common superastrate bear. These recording to the common superastrate bear and the common superastrate and associate superastrate and the common superastrate and superastrate the superastrate and the common superastrate and superastrate the superastrate and the common superastrate and superastrate the superastrate and the common such the common superastrate and superastrate and the common such that the common superastrate and superastrate and the common superastrates and the comm

Targeting Staff Move

Army and Nay in supporting a Dokson Department aggration that the John Mandyan Time Demand Benders Time Demand Strategies for General all Strategies for General Residences in Times and Strategies for General Residences in Times S. Fores, when also SMC their and space describe to the John Clarks of Bell 1 in consider John Nay and King Gellows and the SMC offices who do the same face of the SMC offices and the SMC offices who do the same face for the SMC offices and the SMC offices who do the same face of the SMC offices and the SMC offices and the SMC offices and the SMC office of the SMC offices and the SMC offices and the SMC offices and the SMC office of the SMC offices and the SMC office of the SMC offices and the SMC offices and the SMC offices and the SMC offices of the SMC of

Certalized industry quite rations offer for comparies welling on massed quantifies connects has been proposed for Cope Consumal, Fig. 1st this cause of the verdiced of PAXEA public information efform there. The offer would be invited new NASAs new occurries on the Maximum occurries for this department of the Advant nEilman occurring the Cope of the Cop

Another Advent Probe

sodied is Pap. Sough Earth, any their work behalf which the limit of the control of degree of Lines and Andre I and reason distillational supported in it (W. old signal). Lines are Andre I and reason distillational supported in it (W. old signal). The limit of lines are the control of the limit of lines are the control of the limit of lines are the control of the limit of lines are the lines a

'Saigon Laboratory'

we shift the latest general which, someward interest should take join gift. The contraction of the contracti

Defense Yields Bioscience Effort to NASA Move is part of plan for national bioastronautics

program; extensive flights with animals are alanmed. Br Edward H. Kalenan

Decision to give NASA responsibility Life Sciences Chief mentation to appoint a high-neiting of a binary-new electronic in the Office. meaning to combine the access to the genn is in the Office of Advanced Research and the Office of Manual Store weather. the Office of Life Sciences was program (see box, left) sholohed and prayon offices ware easily tished for sevener medicine. Office of

egy, and Investment. Office of Street that ferwer difference between the true secucies appoling life somes have (AW Asp. 23, 1964; p. 26) recented to

conditions he developed and that one of them be relocted to said the neveron

AVAILON WHE --- I SPACE NOWINGED Award 13, 1947

meet schable and economical those

Long-Range Space Study elds are studying bing-range space prindependent imbased new at our prto the NASA Office of Space Sciences

Soviets Hint at More Manned Flights Mannes-Ery manners of the field of Vorsic 2 to what 1766 or burn

Mr. Glasma S. Titor flow 174 orbits for now, consumed hade but work on the The represent Provide method likes are narray that failure fields would be more used in softern, reflect than hundreds of thousands belowering. In that your ston,

indication when there future fields model become Term, who drawing his recent visit to the U.S.-much light of the names he expensed done he fight (AW Mer 2, p. 35), now any that Sevet sevelate fully "decident?"

would prome an electromosolutionary (IEEE) individed as the dult and Tetra's Title die nimentel in the represent of proteston spend religion decorprolonged finites and said that Scott sporters, were of the opinion that the summa

eveluted that traditional concerts

Chron of the born's work core Goe Howar decided to make the con-

ricem reported McNesson's

resistance Receipt of one wind one

Army Board to Urge Development Of Variety of Airborne Vehicles

> fulfil Army's taction awards receivetunner and officer horted was

So cares proposals were received that N. C. where the studen were even

realished, the curv except without

over som. There has been no under-

House, was andered but Awa by McNamers to study key here to

By Larry Boods

Weshington-Arrests Travial Mobil-

reffers in the report food our and

Combine Requirements

ANAMON WEEK and SPACE TECHNOLOGY Assurt 19, 1915

Compromise May End Comsat Stalemate

Websites-Hop deviced Lat In their neithway to the Fareign Re- their recent that the marrow construc-

olds, among ments to the bill establish acrobed stock, on elected by helden of . birenithen and specify the sole of the

· Receive the comparation to may the

distinct appeared by the Paradess, deleveren to severa areas of the world Menushik, Sen Wayes Moss

He said Defense is considering mov-

\$0,000 cm, grating in how of the \$2,000erbet of 600 per to 3,000 set EAVA

Profits Rise for Three Aerospace Companies

Borner-Schre of \$531,726,000 com-

. Unted Assock-Economy was 5%

First Poloris A3 Test Is Partly Successful

Range from here Aug. 7.
First stage of the 2.590-most ser-ser-

LARGER STOOMS STAGE of the A3 vention sik a hiller simped configuration. Cardinary endleather on the first breach but week.

Thus, the experiences of the case and as affects would be appropriate to those AVAILABING WEEK and SPACE TECHNOLOGY, Amount 10, 17472

NASA Studies Interplanetary Probes Lot Applies-National Assessment and South Materialization is austrance studen Two interdirectors passes are gotting serious ortention, oblicants only the figur-

Prote; and a follow-on, known in PROST (Pube for International Clear Sales Year)

and particles and study effects of the not on interplanetary recomment. PMP reposents a composite of at bost two makes queeraft underlyng Explore 18; and a seconded to be releved wite a highly effected such orbit and substances donor the FIGN, moles study at both Goldhal and Assa Rearwith Conton would not a spectralt of the Penney 5 type equipped with indemnets for currency requests:

ficile, netword population in apose and exceptive particles in the floorand to FIGSY would be next set of the earth's prompartic field and markt travel by twee 03 and 12 Astronomical Units (AU) dates the sea, or results :: 15 million

NASA also is investmential using make passents which made under a source cost to wakes 3 AU, or swept in 28 method on from the one

* PMP: as interplanetum perfector monitories the main effects

AVAILAND WEEK and SPACE TECHNOLOGY, Angure 13, 1967

NASA Issues 52 Bid Invitations For Lunar Supply Vehicle Studies

Waddington-Laug segment of the ... Extended trace stor on the secon be

ported in relation to a modified Setters C-19. Also to come a 1 000-25 worked NASA round 28 toylations for the nashing their and 24 for the bar study

should be braded on the sertace, how Bolkow-Nord Team cool by a Bookenhow 12 eneme and

NASA project manager for the

combined, chaint sales of hep-ting minds project, according to a spoker word Bolkow's Coho and Noods Fatter

of a reided wassess collaboration nati here byperite working and phinning and Foundsy, General Motors and not suffer to order fields, even though

methods of protecting fathers for French The observe study No. 2295.27 o mend and sended to the past 1976. Another proposed stody, No. 7579.26,

Cost Accuracy Bill's

System Protection Feet place of a stafe to expense

Passage Seen Likely Warkington-Consumeral approval of the modern property banks on

practice of extrategual enderlighters by

away. After it is made way, resording

Although Defents did issue a cerula-

Apollo Rendezvous Sequence Illustrated and brackers fight of the command models and

old surmor velock that will desired to the riger of the lease common velocit (right, below) metals fodow) shows pilot postone dome Rabit

AVAILABLE WEEK and SPACE TECHNOLOGY, August 13, 1942

USAF-Defense Research Conflict Aired

Br George C Waken Dame and Frequence cycles londers to

some officeove suscess? It is true feme neith rules on tech gormans

subjety stand is in wall investigant. For atons Subconsuster conducting the energh enageration. I don't think

west next be selective. They differthey are in the severals and develop-

gation ristem, weather satellites

Ivan A. Getting, president of the non-

USAF Solids Program Cut

The onemal program unbrastled by DOSE to be true unbition, executly

section ben'ther. The original assessment Gos Scheiger and he had no reliown of DORE's decision has be necessary development process: He sad DO4271

Renewal of NASA Role in ANNA Urged source to the ANNA couldry subdist nations now moused by the Defence The committee adepted to Space Sciences Solocommittee nearet which said "insoul for a follow-on products untillide program designed to meet the mark of all

ent has . I am foliage about done . And that without # the U.S. stoods in could perform before we started our

· Showing preference to contractors Getter and the decision on Trus 5

often. Brown and "where a compan-

seek programs copies sleet toller ...

Single-Gas Lasers Developed by Bell Labs Be Phylin I. Kless solved rule last, countracted by BEL, to match the excess levels of the two

Ges Lesse

Are Direkenne



trafactory asserted by Bell Telephone Laboratory, in watched by trebactory AVIATION WEEK and SPACE TECHNOLOGY, August 12, 1962

Sarnoff Proposes One Communication Firm

Officer Shifts

Broom left Descho follower the on-

Skin Heat Transfer

Radioisotone Powernlant Mottes Co.'s Nuclear Dresson, Bol Account for a 900 unit moster matern News Digest

Keest Arens, statement on

X-15 Flight Measures

After breach the research costs

The marroy of achieved as angle of

Eastern Resumes Shuttle Despite Strike

Airline speeds flight engineer training of pilots; Goldhere ends mediation efforts, criticizes all nortics Br L. L. Davi

Wathinston-Factors Av. Lores research hearly Washinston New York-Realist Air Sportly service but week departs a season-week old finds purposers stude that abound so sun of codes: (AW Jah 30, p. 25 Another officeral to negation deferences between the Flight Engagery International Asso, and Eastern enlineed when a new offer was meeted by the mire. TEIA offsult charact that the Enters remaint was constitute seacceptable sace it would, within two seas, and the fight engager profes

the company's offer to good practic on the colorengacer pile to "vil flight Re-exec traffic was lew on Eastern's

tions manager in charge of shartde sen-The thretonia shettle come \$1 two · As Lies Piets Assa. billowas a The ratios, said honour, that in Goldbert gaded his plants to write the . FEIA sold that Entrop's latest oldaction token by Eintern and the Protect In effect, Coldberg, while agreeing,

reserved to by PERA are proposed

Mezrykiic, Eistern began es Am-

A total of 10 Eastern copplets are now tween New York and Minni which in Schooled by het work is addition Jese, and Manusten Just The co-

of the 17,000 condition followhed as a Maclative and that the company united FEIA wendsten and to

palety " who wish to be represented by a come to fenue with the eventured Baker to Play Key Role at Biddle Airlines Walterton G. T. Bike, head chieses, of National Action, a resented to play a major part in the summonant of Riddle Alelines once he withdraws from Under a Riddle recognitioning plus, Risker was served to save the company or a Street a stone stone and considered. They call for him to take core a budier Kaldle

lines & Freski's, farmer vice remakent at Cordol Airlines and until accordinamed exercise yes president. Also circuit to the board was I H. Cornectord, faster Eable our serulest in Wednester and now our emidentiales for the Ether M Short receive conduct and W R Free charter was charted short

end, more promptly, has conducted a gay-to executing heaven

Three Competitors File Protests Over Continental Coach Fare Cuts

By James R. Ashlock New York-There make committee

Using Seeing 720 pets, United stoold

Both TWA's and United's arrange

July 10, p. 251. Trans World Airlines and American

Mush would not be sound in the

tenor of cuto travelers to shift to use American seal, webset effecting

\$20.45 between Chicago-Los Angeles.

Brocch Stock Sale

CAB-FAA Crash Probe School Proposed

CAB's duty is to determine the sea-Tot See A S Mile Moncosty

Agency Reorganization

National Let Ban-

*Technological responsibility on

. First fight of a Sout concrete

 Market for at least 190 and some there. Halde premined above two

VORs 13 amore towers and fac or

* Worsel that the \$5.70 was retail-

tone-taking away by offer on its



Fuiita, DETA Receive Fokker F-27s Folia: Friendshy Serie: 200 transverts, epopped with RolloRouse Dat. 7. Mark 125 belopes expire, se show in the makings of Expts Art Lines of Been Neel and DCTA. results and will trias delivers of another Exembles 200 transport in the new failure. DCTA



Mexican Government Boys Guest Airways



320B Provides Range, Payload Flexibility The 1208 or persons an economical

Two-between everbook (TBC) of the engines was 500 hr. when sensor began, Post & Wiston FUD I restolar problems have been encountered, alplease. The five 120th coupling Pan-

G. F. Mewell. Per Arch drawn

been "neht on the cone," selection to

AVA method and scalades sentinger.

at 21,000 ft. or about Mach. 50. How-

The VIER is an ideal accord for Proreads, adaptible to the enter's set Another educating of the 320B is

JT20-2 turbolan eleksis for the 1288, Fra. Am's first fire provuplinate, are now being

schedule setters, we are lessoning a lot-

effect on the 120% when a return

det. Loffbasse bys and Northwol in the SOR's source and accommon not

DUNNED ARROST is requirely a paint for East Acres 1930s on count the mode projects included Landon Los Acreses, provides an





World's longest-range jetliner - the Boeing 707-320B

A further development of the famous 207-320, the 3203 Apprilme, the 707 \$208 has been ordered also liv Air

BOEING 707 Intercontinental

the \$20th although no only how been

One from Yorking the 1008 on

The \$200, which costs about \$5,350 --

USC upa hour best to Becray Gr

Solveno Conero Ban



SPACE-AGE DILS DEVELOPED FROM SINCLAIR RESEARCH

There is no better proof of reliability - YOU CAN RELY ON TURBO-S OILS SINCIDIT AIRCRAFT OILS SANCA

AIRLINE OBSERVER

Which for Folicel Assetson Agency to space at practice of element BFB

Fifth to makin the appropriately 800 U.S. VORs (now had decorate) come emperi so that plant could recognize an center telepance stread agest

▶ Proposal to weap \$1.01 best Aufant with the Build downto sinker.

stooth cades Do. 31, 1962 for the three scheduled U.S. Schropter

* British Oveness Airways Corp. is adding two page necessary water to yede Hardinel Courts. Medification revolves emisconent of court field bench seet in the cabin with tip-to seek hinged on trioficied buildend and cartaffing two new south in the newhorn, BOAC coloriday receives seen roll be 51 milion marsily.

SHORTLINES

Folcal Ariston Array research

Misses Air Elect is receptable with

► West Court Air Services, East's re-





Would you like a progress report on our thin the reliability.

These advantages are evifilm program? We've looking into exerciting, dept from our studies into thin film materials. from new masking methods and process con- rechniques and applications. We're finding real eminment, so amoreum detection and ways to design our thin film crows into mace cryogenics.

We'te sold on thin film circommunications, transportable communicacoles. We like their promise of new econs, tions, outrisfi electronics, computers and other omics in shore-run production. The way you applications.

Already our thin film circuits can hold down rolerances on resistors and see filling contract requirements. \(\Pi\) No canacitors. The freedom to choose and halons: doubt, your toughest development problems the newest and best transistors. The way thin can benefit from our experience film dissipates both heat and power. The with thin film circuits. To learn weight. The size. The speed. The whole new how Call Collins Rudio Company. notential for circuit design, And, most of all, ADams 5-2351, Dallas, Texas.



AUA Plans to Revise Order for Caravelles

New President

The reduction or countries as a feed



Pittsburgh Uses Floating Heliport Procedure and feature belong regard to the Managelicke Error or devotrers Peter-



frequency...United's big let fleet



United's big, fast jet fleet ... the largest, made complete in the world ... offers you plane. A typical is more jet service to mere U.S. marketing, you be easiered, you be calved in more jet service to mere use fleet in the property of t

And this leadership in jet schedule frequency applies to both passanger travel and air freight!

As a passanger, poull'appreciate the frequency and connector or United's schedules. Unstead is baggage handling facilities speed joe through checker. As a shipper, you'll particulately life united describethly, so capably demonstrated with air meil and air expression of the reliable of services and one of where. And you'll appreciate the Exits. General translations are supported to the contract of the contract

est, highly mechanized air terminals to the plane. A typical United service permits life, you to national space for your cargo on

There are many more good reasons to call United first. Your local United sales office can give you the distals. Call your

CALL UNITED FOR PERSONAL EISINESS TRAVEL GROUP TRAVEL - MACRITION TRAVEL - TRAVEL INCOMPLIES - TOXITIVE SERVICES - CONVENTION SERVICES - AIR FRÉVONT - PASSENCEN



WHENCE LINESSEE AT RUIT, THE SERIE CARE ARCHIVE



Now you can let your careo own-You can safely ship live assingly. New York to Europe motes you can

to Germany

AUA Traffic Gains Virgon-AUA Assense Alabora copora to al 1962 over the same nevert of Lat

Recorded by Western

Six-Month Profit Is



Note the Purcletor filters perform vital fractions on the



PUROLATOR BRODUCTS INC.

SPACE TECHNOLOGY



MAJOR ASSEMBLIES of the Setters S-DC become comme of (\$ 50.0) trol, that bank, notes bank structure, and had alone. Boeing Faces Unique Fabrication Challeng

By George Alexandro contract for appearant of \$300 within

STC in the booster of the three-state

AVARION WEEK and SPACE RECONDUDGY, August 12, 1962

have a despecter of 33 ft. Spen Jones the tri flas will be 61 ft. Do repete

Sarum S-1C Assemblies


\$1.4, to be leaft by Borney for the Marchall Space Flight Center, will be the booster of the threshop Salaun C.S launch vehicle in Developing NASA's Saturn S-1C Booster

to be explicit through the pinchel fad tork and the serfrance Threat of

Feet Took Details wife. Segments will be unded from

Bold-down and parenet choses well in the well can though the field task to only one engine, will be continued within a 22 in the burned to necessary corne-by \$54 section beer Terromarrie on the F Is an desired for one

Free liquid-owers lose, such 26 in structure at the lotters of the tank, will



The world's mediant satisfies has been developed by Epice. Technology Laborations in Gulgar will be effected from different from the different from different from the differ

contraction of section Contraction and Section Contraction of Section Contraction of Section Contraction of Section Contraction Contractio



SPACE TECHNOLOGY LABORATORIES, INC.
or third livery of Tecopologian to Woolfridge Inc.

Let Algabin - Francisching Art - Harris Mr., Sin. Execution - Cape Contempol - Harbonitate, Cape C

10 - Tandachary AFS - Horson AFS, San Sanuardian - Capa Generated - Nachrayson, U.C. - Statut - Mandacilla - Deplan WESCON Adequates for Assacha Interviews August 27 St. Call E. C. Souri, Olivin 75120, Visit ST. Santh 2867. refaces shedway of the beyond owygens. Voluments or compares of the manders thank will be about 3 50 southern thank will be about 3 50 southern thank will be about 3 50 southern than the consecution of the uniform to south to generate the frequent owngen shows those proceeding the frequent owngen of the stronger and these sheetings and where sheetings and where sheetings and where sheetings and where sheetings and when sheetings and when sheetings and when sheetings and when the sheetings are sheetings as the sheeting and the sheetings and the sheetings are sheeting as the sheeting

thought and then destrib bed, to the appen done transmiss, which will as a page of the second of the second of the later bed and confact tasks, or be the second of the second of the 2005 or bed, and made of everythete 2005 abstracts to be distributed to 7005 abstracts they did not to the other transmiss, or bed as the second of the second of the test off extract data to the second tracts, and the second of the abstracts of about the second about the second of the second of the second positions of the second of the

Being and Christian will half dure beaters at the NSS worsel plant for beaters at the NSS worsel plant to Moderate beaters at the NSS worsel plant to Moderate beaters and the NSS worsel plant to Moderate beaters and the North American and the North American at the American at the North American at the North

As practice and earlier of continuous data practice and continuous hashed for correction manufactured in based allocated in the continuous and the continuous and a street in the company of the first continuous and a street in the company of the first continuous and the street in the plant of the form and the first continuous and the first conti

SEARCH WITH and STACE TROPINGOUS Asset 13, 1992



byd () I fanks shound the harvest combinations of the LEMI. If shapes in the distinction to take my harperses. Shaded regiments at bottom of foreytesteed sections are Yorings which you beak detect to cylindrical sides.

And have been seen to be a second of the sec

frame. After meanably, the 8 IC seffering all he lowered caso a forescent of the lowered caso a forescent dely and extraod to the law by next where the organis and their accounts and their compares and their accounts and other compares and their accounts and other compares and their accounts and their compares, the 8 IC self-reach a highly of 37.5 ft—learning of the control of the law of the self-reached to account the self-reached and a self-reached to account the self-reached and their self-reached to account the self-reached and their self-re

wher sees. The STC then will be served or SEE THEM AT WESCON

Microwave taken and farrite devices for acrospace opplications

Microwave takes and farrite devices for any



Aerospace microwave systems designers:

Raytheon accelerates delivery of microwave tubes for aerospace applications

These completely different highweight reservoirs takes and feath devices are all bulk and tasked for roled performance in semapoce environments. Each unit is the off south of extension described, reducing and production.

creasy for performence and applications data for these and other newspace micronews tubes and directs, place week, sublance your perbouler area of interest, to Kaytheon Company. Microwise,







Stotic Firings enides; the S IC and make one with

Companier Center Michoel, La-Cortel country helt do will be withhird at Shirk Lo. 19

truspout busine Making (BM)

AVAITION WEEK and SPACE RECEMBERS. Assess 13, 1962.

named by provided by Bourn's Wight

. S-ICE, to be storted on the first . S-ICS, to be stated in mid-1963

Saturn C.5 Test Facilities

less, will be used for motive forces of Settem Applie vehicle

Europeet prouded Marshall by *Deuble tooking . Small assessables of out-concept Michael the comment will be sided . Scheduling built in allowance in the



A MATERIALS LABORATORY IN SPACE

A comprehensive understanding of the reaction of materials to guter space. te on important key to this operativ's specie program, in their enady of materials. searthists at Leekhand Missiles & Space Correany freed the rephian could be reconstructed simpler and more accurate, and offer a built-in control of the results. each direct saler produces, while that lands the earth would not receiv earth share.

and sears technology. And such precess eventertly exects key positions for others of rower white Lockhaur's location in Suprembe and Pole Alto so the If you are interested in correlating your specialty to one of Lockheed's many challenging essignments, please write to Research & Development Staff. Dest. M-325. 509 North Mathride Avenue, Sunsyela, California

LOCKHEED MISSILES & SPACE COMPANY



ENGINESIRS: Today the man at Motorois complex problems of America's most advanced connegraphic instrumentation programs ... the Army's VHF single side hard radio central system...the Air Force's UHF ground-air organizatione system...and NASA's circlama and drop space tracking programs. Advanced studies are also being made in rendom access digital communications, digital-to-resice Systems Design s analysis and synthesis of

Familiarity with State of the Art a meti-

We see particularly interested in the progresses on MOTOROLA

littery Electronics Division



probast dufts to manufactures of Microsol, will creting to work with Michael, under Rickert H. Nelson

Cape Crancest, Pla. Manager Test

Warking Relationships Office: or Dr. George N. Couston

oper, made: Cluster: Rifer Teamer The Test section has field offices at

Air Force to Study Reflex Deterioration

FUEL TANK

Beeng records received a sample-

Project to the sked note these phases In Photo One reduces will underso

The busine selectation is ob-

Normalish conducting the project in-

phonon manuference of cotton certity. Service and Dr. Fard Kata.

others at this level deal with the clove



CANNON PLUGS FOR EXTREME ENVIRONMENTS. IMAGINATIVE ENGINEERING FOR THE SPACE ERA . For more than 40 years Connon.

has been solving critical plug problems across the full spectrum of environmental extremes . . . has provided plugs for every conceivable military and industrial application. Whatever your requirement—whether a standard plug, new design or a modification-for any application or environment. Cannon can provide the answer. For information on how we can help you solve problems concerned with extreme environments, write to

CANNON ELECTRIC COMPANY, 3208 Humboldt St. Los Appeles 21, Calif.





NASA Contracts

Dischards Fraginswing Co.; Nation Asia. Br., Status No. company Dischard Comm.

Eller Reward Laboratories -270 Mr. Br. design. com-distres. and feeding of a



PACIFIC'S ROTARY ELECTRIC COUPLINGS FIT YOUR EXACT NEEDS From one ring to bundreds-way sets o



- Last night in Antarctica, nuclear power
- 2 heated the room 3 fried the cops
 - 4 boiled the coffee 5 kept the scientific instruments running

6 burned the toast

Artestanth has excluse power given in new species; if supplies all the electronity for the 1000 new introduced at the betary's Madello Sound Research Stem.

The heart of throughout is an extraordarity metal spraker than the species of the sp

can reduce any value of their set of their s

Most polity continues and provides and generalisms we have gained and generalisms of the second section of the second section of the second section of the Alberta Colori, the Colori Colori color section of the Alberta Colori, the Colori col

MARIETTA

Mariner 2 Will Probe Venus Environment Se Philip I. Klass

sled for launch some in a second at-



MARINUE 2 Visus by by specients, scheduled by heach you, should some; usus long streday eacheus shost certifs assest planetar neighbor. If I lancked by Sept. 10

The infriend radiovector results 27



MARINER SPACEGRAPT, disease as model from well cover on adjustify executions. These

NEW from National ERFOURNCY STANDARD FOR UNDER BUSIN

NC-1601





Mixing 2 sensitive chamber, a

ber is goed to do commel condition.

gight then I NEV and electrons

Dr. H. R. Anderson of JFL, Dr. H. V. nation and Dy Tayars Van Allen, State from the sen. There are many con-



If so, you heard the story of CALLERY'S Nitronium Perchlorate.

touch with the Defense Products Division, Callery Chemical Company, Callery, Pennsylvania, Telephone Eyens City (Pa.) 3520.



AVAILON WEEK and SPACE TROPHOLOGY, Assault 13, 1962

DUNCO TYPE FC-1 DC RELAYS



1/2 the size of crystal cans

Here are all the performance and operating condelline of conscribing objects on review on pash bill for air. Only observed the control of the control of the control of such pash and on the control of control of the control of the control of the control or control of the control operation and types in test of mental crossists. And Exp'll and 15 Delegat operating the results and proof support sughtcost. Type TC, little gave in these of necession with Mixority and the control of the control of the control of the subtraction of the control of the lower public control preference at least negative to recent of the control of the control of the control of the lower public control preference at least negative to the control of the cont

STRUTHERS-DUNN PIONEERS OF SPACE AGE RELAY RELIABILE

bels toposing 60ms in Jines - Smin - Smin - Smin - Opin -

he stagged in the other plateau and most with although spize. The common with although part and the common part of the common part of the common part of the content of the common part of the common season in left appear to favor, pointed with a common part of the common part of the common season in left appear to favor, pointed what is with the common for the common part of the Sett part of the common part of

to who count don't a somethic coint unables and appealing softert. Massive 1 offers the first opportunity to obtain to proper.

There are record therein which such a to explain the source of the resource due. One holds that in a the above the count of the resource due. One holds that in a the above the count of the country of formed. Authors suggest that the sodere counts from gallactic speer and or becomes traped in the other value to request fields.

The cross resource the country is not the country of the cross the country of t

the first production to the first conditionals, A would for a south of the cover. Down of the first production of the cover. Down of the wine pasts we have supported that the ten support that the ser support that the ser council follows by tournamen or to the control of the council follows by tournamen or to council to the control of the council follows by tournamen or to the council of the council follows by tournamen or south of the council follows by tournamen or which the cold support When query tournamen or which the cold support When query to the council follows by the cold of the south query and the cold of the world first a first which is possible fell that possible production of the south of the council follows the council first the council queries were council queries were council queries were council queries were council productions.

and the first handball madels, and probabilist for made and others). The probabilist of made and others is the probabilist of made and the probabilist of made and the probabilist of probabilists o

of provide to Immural the Production of the Confidence of the Conf



System Checks Performed in Apollo Mockup
day of the Apollo theorems upon capile has been both by Minorpola-Honore
days and local-board models of manual control and daylor retires which the compa-



APATION WER and SPACE ISOTHOROUS Angel 13, 19



Versatile Rescheraft L-23F

Economical way to "double time" the movement of key men and materiel

Beechcraff's L-22F is a tree sill-around work-

also possible as a coditionaries instrument trainer is an orbitating example of Beach reliability L-23Ph are quickly and economically available

erospace Division



man de la company de la compan

AVIONICS

USAF to Integrate Range Instrumentation and disting of man, nature and co-

1970 will be lampled early the full . Deficiencies in carrent weighted of one One electric of the modes will be

critical, the RIPS studies was be

Range Instrumentation Planning Bidders Consector which released records her had worth in a proceeding to select Court Down / Advantor with Intentional Tunion Michigan . Spory Rand with Lordhard Messier & Space Co. and Proc Communications.

· David, Misra, Jahosta and Mendeshall & Acres, with Bassagle Corp., Dough-

No. Costed Data Cop., Schools Phonix Count Electric. Lot. Steper.

The EFFS observed study, designated "999.23, is one as a continuous street of

For some satellite material for which

AMAZION WEEK HIS SMACT TECHNOLOGY, Arount VS, 1993



J-M Microbestos and J-M Micro-Quartz Fiber used to reinforce high-temperature plastics

the Megcary Seacecraft), come two equally uncertain

JOHNS-MANVILLE

· Orthor physical and performance * Propose reveal convention incorpora . Orthor netting of super equipment

ALL FOUR IRIG FORMATS ON ONE COMPACT CHASSIS WITH FFCO 811 TIME CODE GENERATOR





Smooth small (P x 19° x 17°), held (32 ported) EECO (11 Type Electronic Engineering Company account MOS E. Crestool Agency. Serie Area Carlbonia: a. Monharia 7 5555. P. D. Boy St.

- Bermetale a Weine Corps and level Chairma Explanting S.A. C.P. 93, Falson, Switzeland

THIS IS A CLASSROOM ANYWHERE IN THE WORLD







Our hour customers operate in 29 lands on six continents. Wherever they fly, Pratt & Whitney

Prott &

Aircraft

overwhere from 40 000 feet easy Stark-

Whitney been working with arrives and magazineturers before the first let engine is even shipped. Constant hason with contoners exyrhoul techniques, and spare parts.

recollyments. Field service representatives are assigned to airlines using our let engines to help with any phase of source operation, maintenance,

and overhout. Finally, we pay attention to the detailsscere parts, manuals, drawings, catalogs

Whitney Aircraft service.

The result is disserviable commisses U Whitney Averaft jet engines fly more people more places than any other engines







Space a problem? Get 25% longer playing time with "SCOTCH" BRAND Thin-Coat Heavy Duty Tapes!

"Mate tree in the steer poor" alls the story of

approximately 1,000 temps

A chelice of seven This Cost House Duty Troop

printer conductivity, last a Diverses Dept MC1-12 3M Co. St. Paul 19, Mars.

Compatibility Requirements

cally appeared, automorated rates clea will be an important expect of the

To mean compatibility of cours-

______ FILTER CENTER *Superpower Competition Wee-In

PRECISION SWITCHING SYSTEMS



Magnetic Products Division 3

AVAILIEN WEEK and SPACE DICHNOLOGY, Assure 13, 1949



How to enhance reliability of critical avionics equipment!

If prictica comprared rehability concerns tons be severific

GENERAL TELEPHONE & FLECTRONICS



Nudets Sensor Site Model

and Control Scotters Discount of Letters - Air Facce's Agregated Systems Dec

Record Optical Marci Contracts-Arenne erweich and development can *Distra-Ordinal Sections. President

...even from a 'conter The Resolutionery New







* RTCA Reservation-State Vectored

AERONAUTICAL ENGINEERING



USAF Speeds Tests of Fairchild C-123H Re David H. Rofesson distinct and money their recomments. Take off from the represent field in

Higgstons, Md -Art Franciscoreport or Activ occops in parents gt two point engine C123B in a Counted Miles Provide NO 147 and de distance states, then hard on examthe AG-I Corbes, in \$700, transport with two General Blocker BS turbouts Tent for the C-12161 are singled

1,000 ft over a 50 ft obstacle with The left 100 ms inhoused to end not. Straded C-123Bo in the Air Force total To comparess the C 121H ber print sees is 338 sq. m. on the 1218 and 475 sq. in on the 123H

the reddfed C123H is emblished on for Indian a C 1235 weather \$3.00 of the month could be presented for

Improved C-130B STOL Capability Sought Lockberd has modified a few between C-1908 to suppose at STOL orders To sun more threat in crosse, the C1908's peoplishing subs has been heend from 13.54 to 12.5 and a governing deven adjusted in its theorite linkage. If the project was less support. From In the Art Piece STOL agent receives, the C-150S would take off at 200,000 its. and lead once a \$10th obviode within \$100 H at its distinction. Ground roll for to 1800 it and take oil to 1315 it, on the STOL names. It is enducted that



POSTFRINT AREA of the C-1230 wide back grow or 423 agrics, or 42% protes then that of the stoodest C-1216 now in USAF woodney. Modified necest's first fluid on Joh 30 nut one week ahead of schedule set by Are Frence, wheek will true C-12350 at Eight AFD

tions mounth-form are report to the wee. The send as ancient 1,400 ft to affect 2 off, a C-1218 weighing 42,000 ft GE Tot terborero, carb do rivosa modified ray lead safely my a 1,000 ft sequen more than 1,000 ft to trice off



The perfect fit. The interlocking talents and proved dependability of two strong companies, Lear and Siegler, are now united under one progressive management...providing a multiplied potential for outstanding performance

in military and aerospace programs; industrial and consumer electronics; and heating and air conditioning.



LEAR SIEGLER, INC.



and pressurigation system "fired" within this Two electrically driven 160-hp recuprocating air. This air, musted through aftercooler-water

190-bp turbing compressor simulates rum sur-Canacity: blood are 5% Do vets at 256 nor 482°Fram ser, 130 lbs/mm at 6 year, 400°F; pressure, Building test stands of this type dynamic a-

separator, surge tank, and furnice, is then sup-

equipment problems, write: Sales Manager.

Hamilton Standard

CONTRACT & RECEIVED, ENGINE CONTRACT - EXCENDENCE EXAMINED PROTEIN - EXCUSE SUPPORT SQUARMS - TURBON EXAMINED SOURCE DESCRIPTION DESCRIPTIONS - SERVICE PROVED STREET - AUTOMOS PROVED STREET - TUCTORS BEAM MARRIED - PROTECTION - TURBOR STATUTED STREET - TUCTORS BEAM MARRIED - PROTECTIONS



ANATION WER and SPACE TECHNOLOGY June 12, 1912

CL-41R Electronics Trainer Makes First Flight Careful CL-HK at taken HW lish 9, a 271, corneed with full cross of electronic series deserved for the Laukhood F164 int fighter soul by Coach and other North Safesher Treaty Department nations, sank its first shiple recently. CL-tilk is a development of the

ventured fight at high shook where curv a \$1,000 to pushed some than wage which can be fielded into non

Rogallo Design Studied For Dropping Troops

cashle subsers, terops to glide from



THE PRACTICAL MEN

THE PRACTICAL MEN
An idea is barn.
It could lead to a great scientific eccomplishment. It could even create a new

But has a must achieve reality. To do this it must leive the theorist and go to assiste head of their, amon with a more prostcal letted formed. This is the challenge for contine engineers and modern measurement. So turn does not creation, and adolg this wise in more difficult than ever before. For ever this exception is classify as critical specific or engineer special steps that will be compared to the continue of the continu

Dan valvie you are reading too, the engineers of the acceptance registry are working fowerfel these clockness. They was consigning backered looks into head the because. They was searching out the exact materials, equipment, spotters, and components to such their needs. Dies in this search they mad creat create than even uniment. Stocklin, pread by pure rately part the finished whole begons to energic. The protection are consistent of the control with the many spiral in composition. Even provided ready to use.

North Associate Available is at work in the Selds of the Subare through these not divisions. Adomics

MANAGEMENT



European F-104 Program-Part 2

Costs Balloon in Drive to Meet Schedule

except are at stake. How well pro-

F.1960's must of them decised for the West Ground or facts for the stone of Lankhool's February Cold, Sales and Salities, M.

U.S. Companies Warned to Produce

Maps prome from the U.S. programmed on U.S. from to path the Emopera-Until that true, the Ar Fiver generally had followed a kards of statude so for or the field test was. The meeting was called to discuss this want as well as to

"The Air Force had expected a vice quiet serion," one observer recolls, "Sustand. M on no excelesion of the Dates serving quality model ado to-"Or who " as the community indicated it ments that are remove, that linked to USAF Fairchild C-123

In "JATO" Application

LYNN, Mass.—Two General Electric

Use of the lightweight turbouts or



Arter's concept of superconk transport (SET) for which General Bioches's Right Foraubien Stellen is parently investmentes excible exercises crettes defined. G.F. STARTS MAJOR SST ENGINE STUDIES

repersons Author was recently transland mades PAA contract at GEA to meet the minors expenses or an economically females supersons times. nx (dex) to the 1977s. Contracts for \$1,519,500 have been graving to General Electric for exposinamed at busiNess a board base of The states will include applied on-

Fix example, advanced component

perature problety and lower manapart of RET development process for

Lockheed C-141 To Use G-E Power System LYNN, Most -- As all-General Shotter both military and covil recurrentes.

Green's Electric wit also conduct C.E. will containe in own company. funded SST concards opposite to odds. O.E. Ar Proce programs in various

No. victor, and teniner samed) through

T58-Powered 'Copters Begin Service for NYA In New York City Area NEW WORK N Y-New busynabus

in assurance service here on hely it CTSE has been approved for 1000 mph, greatly reducing travel time. Fib-

100

helpacusters was pleased to service



as the tenoner Flow Control wags and to relaterar weight and make effects

VERTOL 107 PICKED FOR AIR FORCE DUTY function provide stabledy to proved

The General Electric 754 turbuse The civil version of the 107, powered by CTSS regimes in its service with page of Japan, Military versions of the

SEND COMPON FOR FREE BROCKHEES For the dedictors on the 6-4 regions and properties receive disposed above, per cleak below and stand stages in Secretal States, Section A284-00 Education, H. V. "The Brains" "120 English"

SEQUENCE THE STATE PROPERTY. OBA FIRS "O I Constant System

GENERAL SE ELECTRIC

TECHNOLOGY AND RESEARCH HAS MADE KINNEY THE WORLD'S

LARGEST MANUFACTURER OF HIGH VACUUM EQUIPMENT





A MAN PROPERTY LINE OF the Manuschart Sensor of Manufact in when the other

Execution View nirrod of the RAD set to be done


\$1545 AUSCRAFT recently, on home deligened from the train production five at the

nith another that it is no rood status of each cart, its schability and



AWATION WEIS and SPACE RECHIQUOSY, Assert 13, 1762

DOWER SYSTEMS BY TAPCO... Combining extensive energy paraertion experience with a high degree of interface systems intelligence. Tapon insures that trade-off studies will yield the most practical power system in turns of specific weight, reliability and operational floolbility.



His conventions letter to viscos: His larger expends through two-

Wooldneiter Inc., 23655 Eastel Assesse, Clearland 17, Chin.



OAYSTROM TRANSICOIL'S ROSTER OF MODERN MISSILES AND AIRCRAFT ... AND OUR SERVO ASSEMBLIES ABOARD THEM



supplies the audience control packages shown at left. These cornect rairh senenter assembles and sunches consultes carolines . Eco indicator itself. All rotating components are sure 8 in both applications and an examinational by Transport Tion is desire excellence



BOOTS CAPPED LOCKNUTS

Pretart Vital Accompline Accure Safe Trauble, Free Sparation







steregth. Torque and leading is an form Ba-makdity factor in high-

Townsend Company ESTABLISHED 1816 - MAYOR FAULS, PA. - a SEXTEN COMMAN

in Country Prevaries & Relack Assorbations Consess, Debud, Dansesper, Origina

There is still mether sometime so

"We said, "If the east is less than

stal sometimes destroitly. One U.S.



feliget these Cherry people in here and see of this Cherrylock rivet will solve our sheet our problem The blind rivel we are using now certainly doesn't



+ Flush France (No Stem Trimwing) · Strong Clinck - Wide Grip Roops . Souther Hale Fill

Savto Are, Celt

Townsend Company PERSONAL PRINCIPLE AND PARTY FALLS FOR A A PREPARED COMPANY to december Assessment & British Manufactures Common Section Commons (Action)

Bindings Therefor - Street Committed a Act 201 Value 2 (MIS - Tree House Size)
Such Marker a 201 East Scarce School School (Act - Act 201 Value 2 (MIS - FRE FAST SIZE)) Ecropeus programmers are follow be-AVEATION WEEK and SPACE TECHNOLOGY, Award 15, 1962. Here's a new "twist" for the specialized application:







Bendix "TWIST / PULL" Pygmy Electrical Connector

This new Render's Present's Electrical Computer resemble coupling. The "twist/pull" design ascures inter-facial confiner and mosts the necleonance measurements of

Wests us at Sidney, New York, for your copy of our informative technical belief in SL-102, giving couplete information on shell sites and arrangements, as well as

Scintilla Division

North Assences us expect profiler

e perfect or both modes." He olds,

Troubles Anticipated

Lockhood as the control man-

North Amongo is confidence at the working under the segs of North Assehas been influenced by profe. Recent. Litrius of each of the four nations to

tucknicum on a bread scale arrive

herd monte at NASARI a new new



These foreign but type temple analysies are enteromy accurate throughout the endos range Accepting to easily checked by the dead weight test cheffold throughout on easily promisional whose processors that have been resoluted in LOOK TO THE LEADER

> ICHMONT PRODUCTS P 6 SON DIE - NOUTEN TENNS

AVAILABLE WITH and SPACE SECREPARTIES Annual IN 1865



Alcoa capability at work... ups output cuts costs

of complex capsule
When Alcoa engineers first get
a look at this pino sared a luminum capsule—no bugger than a softball—it fook over I/O oper adors to produce The Army Chemical Corps asked us to

is Alocal capability werft to ori. By the count? Aloce know we started away nearly half to the steps in production to the steps in production swalling in a significant time wring in output and sepecied set saving in large quantity reduction. This is another example of the half of the started capability own a and is doing every day in or production of scarce in or production of scarce in

do and is doing every day in the production of scores of the production of scores of the production of scores of the scores of t

Whetever it takes to do the job—castings, forgings, impacts, artinuancis—Alcos cado. Research, engineering, testing—Alcos cado the control of the control of

ALCOA ALUMINUM









Council Stations for Project Disty, as Hallowshife and States Administration superimental commensions seatthing programs, while Emirics 19900074, a 5 caving 200 EVE Mystome in a transmitter designed and think by Relations at Stanford. This lake state as power myellows to instruct the supplies the beautifiest. It was designed and descripted by Time for Instructive within 16 dt, first 14 mc, bendeath which is dt. Act these stational specifications were within 16 dt, first 14 mc, bendeath which is dt. Act these stational specifications were within 16 mc 12 mc 12 mc and the state of the

rance As now reason, 5.0.5 specsorthine also are on the NASMD 1,0 benef, but he responsibilities and as theory are learned.

Although the NASMO nature loss the defendent where account that the real treatment lossed in directly expressible.

One high ration there construct himseg to spend more than if planned in the U.S. in that the house's agree on swything," one observes the fact that he had not been as the complaint.

Birecthing him to be assumed.

and, the management office art's explice of management office art's explice of management of the fall tree of production one but to become of the "Anathra side. The bound has begiefed the data and becken the management of the side of the scheduler the switchest of people in a distance spenal to TC or 27 and how the pich should be on the booligane in the state and the side of the side of the state of the side of the side of the state of the side of the office of the side of the side

15000 to the boar faces to U.S. Comline plate on the mouth method the plate of the mouth method are applicable to legal at Newmont are applicable to legal at Newmont and the second to the second to the one of a region to the set of the second to the second to the new of the second to the second to the contract of the second to the second to movements are life. First in our option, but not the a region above, as the mouth method to the second to the terminal and the second to the second to the second to the second to the best to the second to the second to the second to the second to the Approximation of the second to the Approximation o I is the -FI has been phreed on comonest rehabities, and Nieth Austream is the results are promoning. General of terri off means train between fatheres is the -FI in 50 hr. Percent figure is promisely 40 hr. Design of the -FI written in 1976 is completed, and human modeles on any expected, by he meson enough

been an expected to be more enough obtails in the fill.

One interpolate despitability moleficiation will finit in be used when the Enough experience enough to complete rather guided on four maintain to complete social the inflience discharged in the interpolate of the income operation to the highest Holling, a light-proportion of the complete of the income of CASI II written of the incident typed CASI II written of the incident typed

Supplemental in a single state of the state



let us help you with special application pumps







are time a rose; outdoor, profile, Thereof both and of the fee only to make that disputed as on a life. Protein plant on only to make that disputed as on a life. Protein plant followed by a quesk rifeta to disputed here. The threses equitable the first term good (if we waste no mode: Composition followed by a rose of the term to haded head fart! —Gountain May we acrossly so supposes the work WEXON. Appeal to May we acrossly so supposes through WEXON. Appeal to suppose that the suppose that the suppose that the suppose appropriation will be on this do while yours and former regulaciated possibilities will you find the suppose that the suppose debilg an available in Lanch Guidance and Circum System Blookers. Dough you will your resource or and it is advanta-

answers to east within problem. He series of the North Pole having inversed a distance of $\sqrt{2}$ + 30° meters



Anaconda stainless steel

For critical applications

Amounté fierble statistes attes lhos get the oil for entre l'interpraphenteme house of in reliability and rugediene in a dispression to reliability and rugediene in a dispression to reliability and rugediene in a dispression committée, oil in passit, authoris, in a verse; a constitute de la committée de la committée

FREE TECHNICAL SERVICE
With broad experience working in many metals
and materials, our engineers on many you bros
and expense in designing a feesible convenient for
your needs. Whate to American Broad Company,
P.O. Bar 281, Wanterbury 30, Geom. In Canada
American Santonia American Brass Lod., Montroud 8,
Grades.

ANACONDA METAL HOSE DIVISION



PRODUCTION BRIEFING

Control Amenite Carp. In a deposit this accurate not these a deletional effects and societies, briddings that will details the cell of the Hotel, Corn. Secretification bootstones frobless. The new bodies bootstones frobless. The new bodies were seen to be considered to consider the construction of constructions of the conner's bodies and applied research premits by a cell secreces relating to see higher.

General Electric Co 'is Ordinated Dearticists. PH (dol.), More, will beloc in central visions for Folians smooths solder as 517 178 500. New centrals highes Assould Gir his errored a SDI officer control in build the street reyear, under Nav N and street couple. The Highes also has goined a SLIother control from GE. 16 seasoids al 1std Six of their solders.

otors Devision Devisile, N. J., villativise compara-aponomial meanth into use of evopus differentle (GE), a high-accept space standile evaluation in space valueles.

that for ground testing the motion run (macher rages; far rocket which sheet now Aeropet General Corp. Northern Corp. Visitors Design

Area Coup's Donett Research Laborator, Bontt Marc will expand in country remotioning activities to re-

macchine Commund

Rocket Fower, Iso, Miss, Aris, has
comed a \$51.849 context from Arton, I Electrone Sixtuat Davana is
ordig and high-act 15 JUDI Det
elect to boost biloms shall for high
hada intronsinger! recently

Table Salastiles, Mon, Ariz, miladd raccharrons for opening Nassicums risk bis sell septidious org carbilled. All the control of the control of the risks of the control of the conorder is Being Co. contact approciation of the control of the conling SI + arizon. The necessarian is find Mentenna solicity and London.











Motion - High Vacuum - Temparature -Radiation - Known conditions of space flight are faithfully reproduced through ex-

perienced analysis, design, manufacture, and construction of sercopoce simulator facilities. Compullyne is one of viery fee companies qualified to assume complete responsibility at every stage. Depend on the capabilities of Compullyne. Dominillane Comparation, Hatborn, Pa.

ong \$14 million. The rectainment of Mentionan subelegound launch and section of Mentionan subelegound launch and section of South outcomes on Mentions and South outcomes (South South Sou

...



IN - DEPTH

steetos: viere relabiler a sa

eers going helds to menages and services por his

TRANS-SONIGS. INC.

EQUIPMENT

Aerial Refueling Simulator Utilizes

Three-Dimensional KC-135 Model

The attractional is a young display range is counted on a serve succella-

feat of the light amelstor rockest.

ANTIET'S CONCEPT shows removed breast of Early EC-155 of echair surplate AVAIDON WITH and SPACE SECURIOROUS Assure 13, 1910

HANDBOOK OF

DESIGN OF WYDEAUTHC CONTROL SYSTEMS

DIFFERY CONVERSION

EXECUTIVE DECISION MAKING

MATHEMATICS - lor Pleasure



DEFENDENCE OF VALUE OF STREET



AND THE

KEARFOTT

(P)

Otion Uses

Homing Chute Keyed To Ground Signal New York-Persolute desired to

purpose so to \$600F. Sun wools 25 lb.

Concay Rotation



KEARFOTT

MINIATURE FLOATED RATE INTEGRATING GYROS

Day to day performance of \$3", he without Summer; over a \$1 month.

CM 200 MIT- transporter hades and honorates seems it is byselve mounted CM 1507 851 - Suitely Do CH 25/1 St., wilload integral sheetly begins and fem-

For complete data write Kearfett Division, General Precision, Inc.,



FINANCIAL

Marquardt Sales May Reach \$60 Million

By Ward Wright

New York-Marquards Coap is preleting 568 within in takes for 1903 league the probability of complete

detrig 500 selber in mich for 1000 federac his probability of complete forces his probability of complete forces and the selber in the selber in the being. Bernet probability market being. Bernet probability market was 154 million-short 115th after the very larger was 154 million short in the compact region than 514 million the Very No. South of Secret Seably field to compact region than 514 million than the compact region than 514 million than the compact region than 514 million challer to still that force in 1955. One faith aftering within a observation of the secret seably and part 317 million that we are all about forces that the compact region is the Marquett tall the experts second

in the sampain's destrower and redefined at the sampain's destrower and redefined at the sampain and the company that sampain and the sampain

then problems. Ompared; and more had Subpanch superresich besten fell out of holf. A final Coopers speaken stabet, to be her superior end findels seen to be the superior end findels seen tracely. Margards and he enceptating we have "good proposed". It assumes to "good proposed" for assume to "good proposed" for assume to be a final final seen them. 1901, document for more them 1901, and the defined its own them 1901, and the seen them. 1901, and the seen them 1901, and the seen them. 1901, and I willing AW May 27, p. 29.

I willing AW May 27, p. 29.

Mayganchia control engined support in the successor of the support of the beautiful in the successor of the support of the suppo

pands and Year strang. Mir Farther door is fare would be a fare would in a sea ourcide, court out a sea ourside court out a sea ourcide, court out a sea ourside court out a sea ourtide chewer out a sea ourtide chewer

see LAGE Haped the Cavif Pagest AW No. 6, p. 77 and a mater version which SOLLACE.

The Pagest SOLLACE Secret Sollace and the sollace are sold sollace. Secret large or sowing frequently solution pages at 1 Marquage and through the sollace in the pagest sollace may be sold to soll pages at 1 Marquage and the sollace in the pagest sollace in the pagest sollace in the sollace in th

• Yearship generity orbits dots his per serroll. Vanguedt said fixes are frent and batter come at provide the control of th

Measured and the from had about the cold Strains in contacts, uncell, remarch the mid de disperent for encoderations and about purpose proposet. Principal to side of these, he said, as that they side of these, he said, as that they side occupied heads or Marganath reported carriegy of all the side of the said of SSS systems to the the task of SSS systems to the the task of SSS systems to the the task of SSS systems to the test of SSSS systems to the sys



poor and Information Systems Designer. Sustaining gap between top and middle broken lives:



... not a had sentiment for a job either

May of this year, a sampaeywist grapten was huttired by Soveral ACCUSE ON PROGRAM DIVERSIFICATION -To hearly describe WENGLE OUTSMEET IN the located indication of our engineers phones by week in developing the ATLE Ratio Company it budgets abuse Ing with in developing libr ATLAS Resin Comment Sustains Rystem, prevently used for bocolar governor on the negotity at America's space shots including Privact Microry. ACCOUNT ON TROUBLESS EMPRORY. The basis in and the late

ACCUST ON PROFESSIONAL DEVELOPMENT. For Indication ACCUSED ON PERSONAL REWARDS - DOD'S calesce for facts IMMERIATE OPERINGS - This list is somewhat long is national INTEREST (* UPPER PROS. - 150 STILL SOUTHWEST THE SILLEDGE AT COS a rand-throng expedition this core a tree, of bedvering and provides it persons identify provently by like or serious, write on today. Well high promotive and withrust to find the specific gastress that had Communication Services / Applied Methoration / Meanura Engineer-

Forward pour receive in sired confidence to Nr. P. W. Christen, Div. 64-WG, Orforce Surfame Dept., General Electric, Sortners Liefts Office Elde, Serociae, Nr. Y.



Acrospace Firms File Management Salaries

they 20 100 dates of crustees were.

A Marrie withir via process \$11.00 dary \$7.00 deep months to process \$4.00 attachment to process \$4.00 attachment \$1.00 at

W Bengins transmiter officer 1912 feet realized statement of model state & FT Freez



salability reserves. Manage UTL specificity and assent or satisfying your principlety copy rements or will work within a re-li″a-bil′i-ty

If your responsibility is the rehability featur of your

RELIMINARY SERVICE CAPABILITIES - Reliability Consoling pro-

THE RESIDENCE OF COLUMN TWO COLUMN THE SAME OF STREET, SAME OF UNITED TESTING LABORATORIES



Sample NEW ENGLAND in August while discussing your career with HAMILTON STANDARD

how engages for 24 hours a day ... playing it some of the

Your work at Harmbon Standard could be us diversified

programs in research and regenering, leading to the manu-

Med your resume, including salary requirements, to Mr. H. O. Wakemen.

Hamilton ____United Standard



BENDIX-PACIFIC

OFFERS THESE EXCELLENT OPPORTUNITIES FOR

MISSILE QUIDANCE ENGINEERS School Engagery, with MISCO of MISCO propriessed in Muscle Code. ency trementor singuit design including Vidoo Arealifest, Gather

Senior Endlesing with \$55% or MSEE expenenced in the design of APOLLO TELEMETRY PROGRAM

MILITARY NAVIGATION Secret Common with ESCC and expension in low frequency elec-

Bendix-Pacific Division 1100 Down Roy. Noth Delivery, Call

AMAZION WEEK and SPACE TECHNOLOGY, Assert 13, 1955



AERO-THERMODYNAMICS ... omong the more than \$60 R & D programs under your at Douglas

dynamics relating to passiles and apact vehicles equilibrium in repersonic flows; repozzated Support of this program is provided through

a math-calling dollar laboratory complex, in-

an open door to advancement, investigate the



outstanding preser apportunities at Douglas. space projects of torporaw. Also, scholarshape courses. Within 15 days from the recent of stoor letter we will send you excelle informa-

1000 Orena Park Box Avenue

WHO'S WHERE (Continued from page 21)

Changes

Cold for responded the follower appoint ductor, J. P. Roleman, Warburgton Robert & Horbins, sommer Local

Double W. McKeller technical rates comment. Massed Podest Planner

D. Code, Wilheld C. College UNN ret.)

Edward F. O'Deen, third entrace: Mo-

Not L. Bown, manager council. 13:

Agend Monky Devene, Farshill States Core, Harriston, Md Ekred | Hedges, manager of voltage Bared J Holges, manager of compr bumble magnetion engineering. General Electric Co.'s Power Take Department

recard development and emperous traces of the service between the

actualization of Thompson Rama Mandetyley Gowell Elater Co's Light Wilton Flor

Jo. D. Waths rentry undertog deer

Robert F. Schole, remages of manufac-PRINCIPAL SUBMITTED turns bested Technology for Pale The

MORTH AMERICAN AVIAZION

Detstanding appartuernes for

AIRFLOW AND

ENVIRONMENTAL TEST ENGINEERS

PROPERTY TO STREET AND

Name American Arracos. The Punksylvenia & Yankakud

WHERE

TO BUY

Feeturing additional agoducts, specialties & services for the oriention field

How To Get Things Done POLICIA PER MODELL CONTROL

FREE NAME OF THE PERSON IN CO. II ORAPHIC SYSTEMS worlde Bood . Yenoryalis. ht

End airport

... from one to four . . . # WHERE TO BUY Section

Circulat Advertidas Stoken

SEARCHLIGHT SECTION NUMBER OFFICETUNITIES EQUIPMENT - USED or BESAL

MANAGED FACE OF THE PARTY OF GUARDET WHITE - FOR SALT ADMINESSES STATE COMPANIES ONLY IN CONTRACT SALE SALE AND AND A DAMINES TO COMPANIES AND CO.

SALE-1592 PIPER COMANCIE

Hown 26 Hours

FOR SALE

AMERICAN OL COMPANY BOX 8190-1 DHEARD 11190H

IGNITION ANALYZEDS

SCINTILLA 11-3350-3

NEW-TAA CERTIFIED ALSO COMPONENT PARTS

FER 11,3350 3 AND 11,3365.1

P. O. See 45314 Marry, Harde

\$2.70 x Street Michigan 2 Dear To Spring solvening IDS NUMBER over 10 year fire addressed in

EXECUTIVE, AIRLINE William Charles and Landon or UTILITY TYPE ME TRANSPORT MANING

Militage on Four skip operation many Control on Sent for Southern Street, S.

Name Tridgenis der 1000 frem Warper Alle for Gill in Gerne Webr ground with allers manufacture of the Control o Service of the Servic

Auto Pilote + 200 Temperature Leaves Course and Midpattine southwise anywhere the bar new line, of admired workloads for manufacture and the contract of the contra SAFAIR-Totachore, New Jorsey

OF AVIATION If You're Important, you either read

AVIATION WEEK

AVAIDON WERE AND SPACE TECHNOLOGY, Aurust 13, 1992



...INSPIRATION BREAK

in groups of three or four, ere engrossed in some theoretical discussion. While no streeting any evaluation

the following responsible posttons. Communications Systems Englasmy - Declares Transvers the authorizing station and importance profession on the exact and the authorized to the profession of the station of the sta

Guidance Oyuamidista - TS or MS in Tripusaring in Ap-plied Nachricks with a minimum of 5 years exposure in the studying of guidance systems for minimum as agree creft. To unedyou and invalidate frainfolders identifications and desamin Characterization of refer. (R) option with in

Managery Designary - 755 in CT. 307 or 85 was a management

GRUMMAN

GARRETT-AIRESEARCH

has immediate openings

in expanding aerospace programs

Environmental Systems Test Engineers A proposable posmen is open in total in-dem feeting of space environ-

Design Engineers & Checkers for Space Environmental & Cryogenic Systems

Querines exist for experienced based over descrete and checkers for Besign Engineers & Checkers, Electromechanical

Book on highly leaded over worse precompleteness someone for man

Heat Transfer Development Engineers Involves work on analysticated heat transfer devices for rasco and six

Preliminary Design Specification Writers for

Environmental Control Systems

B.S. to Ph.D. level according mission required for advance work in both

Stress & Vibration Analyst B.S. to Ph.D. level needed for work on turbine and compressor design

problem solving with electronic computers is highly desirable

Please arrel considers course to Tern Written - Department 2 AIDESEADOU MANIJEACTIJOING DIVISION 1657 So Sepulsodo Blod , Las Anades 65, Celifornia

senior structural dvnamicist

Several has assistent one word. skis for appetianced audividuals texts. These opsitions after unconstalling in the relation of

development and application at with transportation, ignifice,

Extensive analog and digital Community Specifies are directly

SIND RISHMIS TO E. P. Jones, Reportment Howager ALROYET-GUMERAL CORPORATION



NEW AVENUES IN MISSILE AND SPACE TECHNOLOGY... at AVCO/RAD

Putting "men among the stary" through the design and divalants of a new edvancement at Avco/RAD for qualified engineers with extensive intendigiplinary background to furnish technical direction and systems.

SENIOR PROJECT ENGINEERS Aurangeon Frances

These positions report to ten Troblecal Management, require a minimum of eight years' experience and early selectes to 20K and up, depending on Positions also are available with responsibility for the technical direction and

PROJECT ENGINEERS

Destromaction call Components These positions report to Technical Management, require a metimam of five

The Studies in Souther In a surse ble assessed \$25,000,000 liberature South dark SSD is represely associated with Arelia, Tidas, Affair, Minchesen, Nile-Jest,

> Mr. J. Berger, Dept AWF

Arrent & Monte Brokened 201 Lowel St., Westington, No.

ARRADON WEEK and SPACE TECHNOLOGY, Assess 13, 1913

Inc. has several immediate openmay for sales framers that after exceptional potential Drawwill profes sales of equipments and Acres Segment former with P & W. C.W.

ton, Precision Measuring Equiping select is general, benefits me complete and the appoint NAME for advancement will come quickly.

degree in engineering plus of perence is describle it is not e proregulate.

coefficient coefficiency by addressing them to Mr. J. T. OD GENERAL

EDIGRAMION N. Y.

DIRECTOR Will direct Benevich nethtiles at landing Seasonth Group with an experiency to editing to higher treat respective position Advanced Devices Assumented Systems, De-don Schmin Medical Englishma, Sellie Sons Rivator, Mr. EDGC_CAR SAL-ESLONG JOHN & STORM ASSOC 37 Whitney Ann New Pourse, Cons

ANTHOR EXPONE. AFR. MARRIAGON CO.S.

production large expension from Charles and the St married Sophy

Co Philippediaments, upo 22, 8 print day

total blacks. Fort Engineer Pringings and Interpreter burders of properties towards WK arrows out proposed flat-teriors. Event according to proposed flat-per accorded to proposed accordingly. Marks who professional references Fig. 2-172 Articles State

Arter Service or Sales States State

to revenue of a few acceptance by the fact of a color

Especiates framework (waters

sheet Classified Mostinian contact the McGraw-Hill office secret you ag francis troop is only probable on News, It is crease about the close of ATLANTA E O HIGH 1275 Freebben St. N.S.

> Captey Square COngress 2-1160 CUNTANO. 12 | C HIT

FOR MORE

INFORMATION

Steamer 1-3400 1719 Commerce St., Vougha Bidg. Sharada 7-5721 NAMES OF A POST OF

1700 Ersedwey, Truer Bids SETSOR No. 11 Genter In HOUSEON 28 J Press

NEW YORK ON N. T. Bahanan T. W. Sandar

Does 5 4330 PETERSONAL TO I Williams

Wo. S. Sulfren 2711 Germelalet Avenue

ST MOUR S SAN PRANCISCO, 11 J. A. Hertley

Dread French First's Eaglist Connections of the Connection of the



plasma pinch engine - only Out of the Critical Acrospance Asses for which DEBUBLISHS DAILS MODDE DESCRIPTION CENTED has D.S. O Contracts

EXAMPLES OF ASSOCIACE S & D PROSEAMS AT REPUBLIC Red Mary Test Telestes has advanced space programs / Thermal Protection Studies / Southernet Trecking Sonorchi

tor Chinal Sensezvou. / Full Scale Flouris Frich Engine for Spece Proposition / AESOS Study - Methodological Salah Appointment (misson analysis, satellite measurershille, guidance system orders in earth satellites, larver proj.

ASSSE, estationship) / Magnetic Sciencine Gyre Sevelapment / Electromagnetic Theory / Wilson Systems Assiytis.

AVAILIEN WEEK and SPACE TECHNOLOGY, August 13, 1962

HEIDAM INGMITTING MS or PMR in Register Sec., Huntery Physics, or related Brids. educard resile accepts at the Orleans Natio NUCLEAR ANALYSIS - Determine over plants; design and configuration ts, the metanames, fluid auctionics and had transfer. Devotes engine

CEPTATIONS AND POST And we endine short no because distance the functional tast emportunes and exercises memorial HETHERETE, DANNERSER

CHESS AND POST No. & creedly with Design Regions on analytical ex-

If you qualify professionally...



Our advanced nuclear facilities can help you grow faster.

your expenses here to look ever our true feetibe. Equally important, verify set the feel of our harbly professional atrosphage of Landsburg, Vennas. We can also talk about how our ambatious growth plans offer you

sacs to rearly universities Why not write a short letter to William A. Porter, personnel direc-Babcock & Wilcox

MS or PM in Physics with strong regime background 5 or many years in

theory, experiment planning and analyze of experimental data Taxonal

ADVERTISERS IN THIS ISSUE

TAN TELEVISION OF THE PARTY OF PERSONAL PROPERTY AND PERSONS THE REAL PROPERTY.

CHAPTERINGS OWNERS THE SECOND COMPANY DESCRIPTION OF THE PERSON OF THE PER

COLUMN DESIGNATION AND ADDRESS.

SATURN MORPHANIC TRANSCE II. DIED RECOLUENCE OF SANCTOCK STO. PARTERING DECEMBER COMPACT OF DATEGORY DESTRUCT CHARLES PROPERTY PROPERTY Consisted the control of the control for

PERSONANCE A YEAR ASSESSMENT STREET STREET, CONTAIN, PARTY PRO SENSON PROFESSION OF STANDS OF

PERSONAL PROPERTY AND ADDRESS OF THE PERSONAL PR

BANKAL DECISATION NEWS ...

Chat were helpered to be reed to

STATE AND DATE OF A PROPERTY OF THE PARTY OF

AVAILON WER and SPACE TECHNOLOGY, August 13, 1993

BUTTER CHICAGO CHAPTERS PARTY A. THE PERSON NAMED IN PURE PART SEEL CONFEST OF PERSONS SPECIAL DATE CONTRACT OF STREET

SATTREDS DERFORE RECEIVANT & PEWER THE PERSON OF TAXABLE PARTY AND ADDRESS OF

THE PERSON NAMED IN COLUMN NAM PARTY AND UNITS

DISIGN DISPUTES

F & F Instelletion

Hydroulle Squipment

STRUCTURES ENGINEERS

ASSECIATE DEGREERS

AT ME OF PE or Physics du-

Assessment in Owego, Testing,

CLARGES MESWEED A.P. OTHER DESIGNATIONS ASSESSMENT

THE PERSON

LIAISON DIG HELES DECIDENCE SYSTEMS PHOLOGIST MATSEMATICAL AMALYSTS AJC SPICHCATICHS INCOMED

ANY INCOMESTICATION PROPERTY. PLASTICS RESERVOR ENGINEERS Seed course or purfetore to Book L.

Cour. Lockhard Georgio Compuny, Papi. TET 33, #34 New Funchine Street, Atlanta & Corrain. OCKHEED-GEORGIA COMPANY

A Division of Leekhood Aircraft Corporation

LETTERS

Team Effort

MFSC to evacute contracts would result

Battle of Midway

As you can ser . Chrisige Belieforte Winecis, Risco It is true that we are the only what

see to go to end from O'Blee to make fichity is just a beautiery over As you lines. the City of Change-dweets the Mayor office has personed the Cord

loss and, so oblines, but held mertines

suggester's offered column, Melecon better to the Editor, disastine Week, 300 W. Glad Sc., Dow Took St. N. T. Tey to keep fetters under 500 words and give a gassine identification. We at met plast onescenario from the montr of written and the mucharid an request

mody to effer server to the 1500,000

Russian Discovery The article on this July 25 team in 76 Antonia Phonography Name Madagana

'Chasing Rainbows'

I have been cloudy full miner the APC

Wit adough its sensitivity to street Advert Technical Lignor Officer phone conditions it will below and the

become will defeat the purpose of the

Evening Score

I report making year interesting and 20 and July 23 pg 13 27) There is one point of accuses I would

Sway Count Dill Opposital your second prograph bosts. "The stocket newless

AVAILAND WEEK and SPACE TECHNOLOGY, Angust 53, 1912

precision and 7 7 7 7 7 7 7 clarity never --before achieved... The new Break Recorder Mark 200 made these incredibly crisp trappers. No other recorder is residence

ns ports to wear, refinite resolution, verifiable dynamic 1/6 accuracy. Traces are permanent, high contrast, responsable on low cost chart names. The Mark 500 has but time standard concess; attenuates pen position, chart speed. Such fidekty, simplicity and economy are possible with no other direct writing brush INSTRUMENTS



from Varian: STABLE PUMP TUBES FOR PARAMETRIC AMPLIFIERS

Highly stable reflex hystrons by Varian can significantly improve your parametric amplifier system design. Tube types, from 8.2 to 26.5 Gc are available for immediate delivery. From low-cost laboratory models to rugged 70 Gc tubes, all have Varian's inherent high quality of manufacture and performance.

varian parametric amplifier pump tubes benefit from exhaustive research and testing for metal: capable of contributing to precise control of tempera

TUBE NO.	OPERATING FREQUENCY (Gc)	MINIMUM OUTPUT (mW)	MECH. TUNING RANGE (Mc)	ELECT. TUNING RANGE (Mc)	BEAM VOLTAGE (volts)
VA-240	12.4-18.0		50	40	750
VA-253	15.0-22.0	200	1000	40	750
VA-241	18.0-26.5	~ 200	100		800
VA-254	18 0-26 5			40	850

dozen (ypes of Varian reflex hystrons buttable for parametric pump use are operable in severe environments— 20G shock, —55 to +65 C—and demonstrate exceltion of the control of the control of the control of the formal of the control of the control of the control of the power and frequency remain stable over a wide variety of environmental conditions.

Tubes in the VA-240 series (see chart) are rugged, field trimmable, conduction-cooled. Other Varian tubes suitable for parametric amplifier application have similar features. Write Tube Division

